

ASE-MC08 Iridium SatPhone Solution

Shown below are the components that are included with, or needed for the ASE-MC08.



Antenna Solutions

Antennas and cable systems for HQ applications. We recommed our premium filtered for Urban and Hospital environments.

Purchase separetely-



Power Brick AC/DC

Reliable AC/DC Power Supply. Please specify Country Type. Included in the Kit.



Dedicated Phone

We recommend the PT01 with Dialing Instructions. (Can integrate with any office phone.) **ASE PT01**

More Information





Summary Of Key Features:

- PROVIDES OFFICE/IN-BUILDING SOLUTION FOR IRIDIUM SATPHONE
- NON REMOVABLE
- PERFECT FOR HIGHLY TRAFFICKED AREAS
- EASY CONNECTION TO IRIDIUM ANTENNA FOR INDOOR USE
- PROVIDES VOICE CONTINUITY IN DISASTERS--NATUAL OR MAN-MADE
- RELIABLE ASE EQUIPMENT



ASE-MC08		
Voltage	10-32 VDC	Cable or DC Adapter
Power	12 Watts	Active Peak
Antenna Connections	Iridium TNC-F	
Operating Temp	-10 to 55 C	
Dimensions	9x 5 x 2.5 in.	23 x 15 x13 cm
Weight	2 lbs.	0.9 kG
Shipping Weight	6.0 lbs.	3.0 kG
Shipping Dimensions	16 x 14 x 8 in.	41 x 36 x 20 cm

ADDITIONAL FEATURES/COMPONENTS

Iridium Permanent Install Satellite Phone



Easy Office IntegrationUse with Office Phones **Can integrate with any office. We recommend the ASE-PT01**




-H Local Handset-Local Handset available. Purchase by adding -H ASE MC08-H



Antennas go the Distance
Passive Antennas up to 20 Meters.Active Antennas up to 105M
Antennas not includedPurchase separately.

SYSTEM SETUP



MC08 Installation Diagram