

# SOLID STATE DOPPLER RADAR DRS4D-NXT



More Information



0821 9900 2018



Pernika.com

# DRS4D-NXT, the NXT leap in Radar technology


**A Solid-State Radar with pulse compression, Target Analyzer™ and Fast Target Tracking™ utilizing Doppler technology. Combined with FURUNO's exclusive RezBoost™ technology, the DRS4D-NXT packs the performance of an open array radar, in a compact 24" radome.**



**NEW**

## Target AnaAlyzer™ function utilizing Doppler technology spots hazardous targets instantly!

The DRS4D-NXT is the first radar in the world to use the new FURUNO exclusive Target Analyzer™ function. Targets that are approaching your vessel automatically change color to help you identify when they are hazardous. Green echoes are targets that stay stationary, or are moving away from you, while red echoes are hazardous targets that are moving towards your vessel. Echoes dynamically change colors as targets approach, or get farther away from your vessel. Target Analyzer™



Hazardous targets are displayed in bright red



See moving targets close to structures clearly with Target Analyzer™

- ▶ NXT, Solid-State pulse compression Doppler Radar
- ▶ Revolutionary Target Analyzer™ function instantly identifies hazardous targets
- ▶ Fast Target Tracking™, up to 100 targets
- ▶ RezBoost™ beam sharpening, equivalent to 2 degree beam width open array
- ▶ Compact 24" radome with 25 W output power
- ▶ Bird Mode, track birds to find the best fishing grounds
- ▶ Simple installation, no need to open the radome, external PSU is not required
- ▶ New smart-connector cable for retro fitting existing DRS cable installations
- ▶ No warm-up time






## NEW RezBoost™ beam sharpening




**RezBoost**

For the first time, FURUNO's exclusive RezBoost™ technology has been incorporated into one of our Radar units, with impressive performance.

With RezBoost™ set to MAX, the sharpness equivalent of a 2 degree beam width can be achieved. With RezBoost™, you'll see more detailed targets, with less clutter.




RezBoost™ standard



RezBoost™ Enhanced, MAX setting

## NEW Bird Mode



Bird echoes




Tampilan Nyata

DRS4D-NXT features a new bird mode that helps you identify birds gathering around schools of fish at the sea surface. Bird mode adjusts the gain and sea settings automatically for optimal visibility.

## NEW Fast Target Tracking™

It only takes a few seconds after a target has been selected until a speed and course vector is displayed. With accurate tracking information, estimation of other vessel's course and speed is greatly simplified. With Fast Target Tracking™ activated, any vessel approaching yours will automatically display a target vector, as well as sound an alarm\*. Up to 100 targets can be displayed simultaneously.

\*TCPA setting required



Approaching vessel with target vector

SPECIFICATIONS OF

# Furuno DRS4D-NXT

ANTENNA

Type	ø610 mm Radome (24")
Beam Width	
Horizontal	3.9° typical (-3dB) Adjustable between 2° and 3.9° (effective with RezBoost control)
Vertical	25°
Antenna Rotation Speed	24*/36/48 rpm
	* In dual range mode, speed is limited to 24 rpm

RF TRANSCEIVER

Frequency	Ch #	P0N (MHz)	Q0N (MHz)
	1	9380	9400
	2	9400	9420
	3	9420	9440

Pulselength & PRR	P0N: 0.08 µs to 1.2 µs / 1100 Hz Q0N: 5 µs to 18 µs / 1100 Hz
Peak Output Power	Solid-state, 25 W
Range Scales	0.0625 to 36* nm
	* In dual range mode, range is limited to 12 nm

ARPA TARGET TRACKING Up to 100 targets

POWER SUPPLY 12-24 VDC: 2.5-1.3 A

ENVIRONMENT Temperature: -25°C to +55°C  
Humidity: 93% or less at +40°C  
Waterproofing: IP26

EQUIPMENT LIST	Standard
	1. Antenna Unit   RSB-135-115
	2. Cable Assembly 10/15/20/30m
	3. Spare Parts
	Option
	1. Radome Mount  OP03-208
	2. Retrofit Kit    OP03-239
	3. LAN Cable      2/5/10 m
	4. Joint Box       TL-CAT-012

24" Radome Solid State Doppler Radar  
DRS4D-NXT  
7.3 kg 16.1 lb

